



2023

intellinetsolutions.com

Outdoor Gigabit Vandalproof • Waterproof Injectors

Extend the range of a PoE connection—even in harsh outdoor conditions.



30 Watt Outdoor Vandalproof Gigabit High-Power PoE+ Injector

[561778] IEEE 802.3at/af Compliant,
IP67 Waterproof, IK10 Vandal-proof, Metal Housing

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

60 Watt Outdoor Vandalproof Gigabit Ultra PoE Injector

[561785] IEEE 802.3bt (PoE++ / 4PPoE) Compliant,
IP67 Waterproof, IK10 Vandalproof, Metal Housing

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



© 2023 IC Intracom. All rights reserved. Intellinet Network Solutions is a trademark of IC Intracom, registered in the U.S. and other countries. Other trademarks and trade names are the property of their respective owners.

TABLE OF CONTENTS

Outdoor Injectors.....	02
PoE Injectors	04
PoE Extenders & Splitter	05
PoE Switches	06-08
Industrial Switches.....	09
Industrial Injectors/ Splitters/Extenders.....	10
Industrial Power Supply.....	11
Data Switches.....	12-13
Media Converters	14-17
Compatible SFP/GBICS	18-19
Patch Panels.....	20
Wall Brackets.....	21
Tools & Testers.....	22-23
Racks.....	24-27
Cabinets.....	28
Shelves/Panels.....	29
Accessories.....	29
Cat5e UTP Cables	30
Cat6 UTP Cables	31
Cat6 UTP Slim/ Cat6a S/FTP Patch Cables	32
Cat8 S/FTP Patch Cables	33
Wall Plates.....	34
Outdoor PoE Extender/Repeater	35
Modular Plugs/RJ45 Components... ..	36
Keystone Jacks	37
Fiber Optic Cables	38-39
Network Cards	39
TV Mounts	40-46
Monitor Mounts.....	47-50
Projector Mounts	51
HDMI Extenders & Repeaters	52
HDMI Switches.....	53
HDMI Splitters/HDMI Cables	54
HDMI Adapters/ Converters/Docks	55-56
KVM Switches	57
Outdoor Extender/Repeater.....	59



Celebrating over
30 Years of
Market Experience



Superior
Warranty



Global Expertise,
Global Mentality



Retail Ready



High-Quality
Products



Strength In
Connectivity



POE INJECTORS



15.4 Watt PoE Injector

[524179] IEEE 802.3 af compliant, Plastic Housing



60 Watt Gigabit Ultra PoE Injector

[561235] IEEE 802.3 bt/at/af compliant, Plastic Housing



560566



561518

30 Watt Gigabit High Power PoE+ Injector

[561518] IEEE 802.3at/af Compliant, Plastic Housing
[560566] Supports IEEE 802.3at/af detection and short circuit, Metal Housing



60 Watt Industrial Gigabit Ultra PoE Injector

[561389] IEEE 802.3bt/at/af Power over Ethernet (Ultra POE/PoE+/PoE), Metal Housing

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



30 Watt Industrial Gigabit High-Power PoE+ Injector

[561365] IEEE 802.3at/af Compliant, Metal Housing

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



95 Watt Gigabit Ultra PoE Injector

[561495] IEEE 802.3bt and IEEE 802.3at/af Compliant, Plastic Housing

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



2-Port Gigabit Ultra PoE Injector

[561488] 1 x 50 Watt Port and 1 x 30 Watt Port, IEEE 802.3bt and IEEE 802.3at/af Compliant, Plastic Housing



84 Watt Industrial Gigabit PoE++ Injector

[508919] IP30-Rated Metal Housing, DIN-Rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



30 Watt Outdoor Vandalproof Gigabit High-Power PoE+ Injector

[561778] IEEE 802.3at/af Compliant, IP67 Waterproof, IK10 Vandal-proof, Metal Housing

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



60 Watt Outdoor Vandalproof Gigabit Ultra PoE Injector

[561785] IEEE 802.3bt (PoE++ / 4PPoE) Compliant, IP67 Waterproof, IK10 Vandalproof, Metal Housing

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



POE EXTENDERS



Outdoor Gigabit High-Power PoE+ Extender Repeater

[561211] Daisy chain up to 4 times for 1,640' (500 m). Each unit can extend up to 328 feet



Indoor Gigabit High-Power PoE+ Extender Repeater

[560962] Metal, Daisy chain up to 5 times for 1,968' (600 m). Each unit can extend up to 328 feet



2-Port Gigabit High-Power PoE+ Extender Repeater

[561266] 30 W PoE Input. Doubles the connection distance between PoE source and device from 328 ft. (100 m) to 656 ft. (200 m)

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



2-Port Outdoor Vandalproof Gigabit Ultra PoE Extender

[561648] 60 W PoE Input. Two 30 W Ports, Extends PoE up to 100 m (328 ft.), IEEE 802.3bt/at/af Compliant, IP67 Waterproof, IK10-rated, Metal Housing

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



2-Port Gigabit Ultra PoE Extender

[561600] 60 W PoE Input. Doubles the maximum connection distance between PoE source and device from 100 m (328 ft.) to 200 m (656 ft.)

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



4-Port Gigabit Ultra PoE Extender

[561617] 90 W PoE Input. Doubles the maximum connection distance between PoE source and device from 100 m (328 ft.) to 200 m (656 ft.)

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

POE SPLITTERS



Power over Ethernet (PoE+) Splitter

[560443] IEEE802.3at, 5, 7.5, 9 or 12 V DC output voltage. Can be used to convert a non-PoE device to PoE



Gigabit Ultra PoE Splitter with USB-C Output

[561693] Charges a USB-C powered device such as a notebook, Macbook Pro® or tablet from a IEEE 802.3bt/at/af PoE connection. PoE power budget of 45 W with 60 W power input through IEEE 802.3bt connection.

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Industrial Gigabit PoE++ Splitter

[508940] 60 W Input, 12 V / 4.25 A DC Output, IP30-rated Metal Housing, DIN-rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



UNMANAGED POE SWITCHES



5-Port Gigabit Ethernet PoE+ Switch
[561792] Four PSE PoE+ Gigabit Ports, One Gigabit Port, PoE 40 W Power Budget, IEEE 802.3at/af Compliant, Desktop, Wall-mount Option

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



PoE-Powered **5-Port Gigabit Switch with PoE Passthrough**
[561082] 4 x PSE PoE ports, 1 x PD PoE port **68 Watt Power Budget, 26 Watt Power Budget with PoE Passthrough**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



5-Port Gigabit Ethernet PoE+ Switch
[561839] **60 Watt** Four PSE PoE Ports, IEEE 802.3at/af (PoE+/PoE) Compliant, PoE Power Budget up to 62 W, Desktop Format

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



5-Port Gigabit Ethernet PoE+ Switch with SFP Port
[561822] **90 Watt Power Budget, Desktop Format, Wall-mount Option**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



PoE-Powered **5-Port Gigabit Switch with PoE Passthrough**
[561808] 4 x PSE PoE ports, 1 x PD PoE port **65 Watt Power Budget, 25 Watt Power Budget with PoE Passthrough**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov




6-Port Fast Ethernet Switch with 4 PoE Ports, 1 x High-Power PoE
[561686] **65 Watt Power Budget, Desktop**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



5-Port 2.5G Ethernet PoE+ Switch
[561921] **55 Watt Power Budget**, four PSE PoE+ Ports, 10/100/1000/2500 Mbps on all Ports, , Unmanaged, Desktop Format, Wall-mount Option

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Fast Ethernet PoE+ Switch
[560764] **140 Watt Power Budget, Desktop**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



5-Port Gigabit Ethernet PoE+ Switch
[561228] **60 Watt Power Budget, Desktop**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit Ethernet PoE+ Switch
[561204] **60 Watt Power Budget, Desktop**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit Ethernet PoE+ Switch with PoE Passthrough
[\[561679\]](#) **85 Watt Power Budget, Desktop**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit Ethernet PoE+ Switch
[\[560641\]](#) **140 Watt Power Budget, Endspan, Desktop, 19" Rackmount**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit Ethernet PoE+ Switch with 2 RJ45 Gigabit Uplink Ports
[\[561402\]](#) **120 Watt Power Budget, Manual PoE Extend Mode up to 800 feet, Endspan, Desktop**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit 2.5G Ethernet PoE+ Switch
[\[561938\]](#) **100 Watt Power Budget, Eight 10/100/1000/2500 Mbps PSE PoE+ Ports, Unmanaged, Desktop Format, Wall-mount Option**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



16-Port Gigabit Ethernet PoE+ Switch
[\[560993\]](#) **220 Watt Power Budget, Endspan, 19" Rackmount**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



16-Port Gigabit Ethernet PoE+ Switch with 4 RJ45 Gigabit and 2 SFP Gigabit Uplink Ports
[\[561419\]](#) **300 Watt Power Budget, Endspan, 19" Rackmount, Manual PoE Extend Mode, up to 800 feet**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

UNMANAGED POE SWITCHES



16-Port Gigabit Ethernet PoE+ Switch with 2 SFP Ports and LCD Display
[\[561259\]](#) **370 Watt Power Budget, LCD Display, Endspan, 19" Rackmount**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



24-Port Gigabit Ethernet PoE+ Switch with 2 SFP Ports and LCD Display
[\[561242\]](#) **LCD Display, 370 Watt Power Budget, Endspan, 19" Rackmount**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



24-Port Gigabit Ethernet PoE+ Switch with 2 SFP Ports
[\[561891\]](#) **370 Watt Power Budget, Two 1G SFP Open Slots, 19" Rackmount**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



24-Port Gigabit Ethernet PoE+ Switch with 2 SFP Ports
[\[561907\]](#) **370 Watt Power Budget, Two 1G SFP Open Slots, 19" Rackmount**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



24-Port Gigabit Ethernet PoE+ Switch with 4 10G SFP+ Uplinks
[\[561761\]](#) **370 Watt Power Budget, 4 x 10G SFP+ Open Slots, 19" Rackmount**

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



MANAGED POE SWITCHES

domotz
COMPATIBLE



8-Port Gigabit Ethernet PoE+ Web-Managed Switch with 2 SFP Ports

[561167] 140 Watt Power Budget, Endspan, Desktop, 19" Rackmount with ears **Auto Reset by Port**

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

domotz
COMPATIBLE



24-Port Gigabit Ethernet PoE+ Web-Managed Switch with 2 SFP Ports

[560559] 240 Watt Power Budget, Endspan, 19" Rackmount **Auto Reset by Port**

domotz
COMPATIBLE



16-Port Gigabit Ethernet PoE+ Web-Managed Switch with 2 SFP Ports

[561341] 220 Watt Power Budget, Endspan, 19" Rackmount

domotz
COMPATIBLE



24-Port Gigabit Ethernet PoE+ Web-Managed Switch with 4 Gigabit Combo RJ45 Base-T/SFP Ports

[561426] 370 Watt Power Budget, Endspan, 19" Rackmount **Auto Reset by Port**

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

domotz
COMPATIBLE



16-Port Gigabit Ethernet PoE+ Web-Managed Switch with 2 SFP Ports

[561198] 374 Watt Power Budget, Endspan, 19" Rackmount **Auto Reset by Port**

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

domotz
COMPATIBLE



48-Port Gigabit Ethernet PoE+ Layer 2+ Managed Switch with Four 10G SFP+ Uplinks

[561587] 400 Watt Power Budget, Endspan, 19" Rackmount **Auto Reset by Port**

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



INDUSTRIAL SWITCHES



4-Port Gigabit Ethernet Industrial Switch with 2 SFP Ports

[508247] 10/100/1000 auto-sensing ports that automatically detect optimal network speeds. IP40 slim-type metal housing to withstand harsh industrial conditions

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit Ethernet Industrial Switch with 2 SFP Ports

[508827] Power Budget, IP40-Rated Metal Housing, Endspan, DIN-Rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



4-Port Gigabit Ethernet PoE+ Industrial Switch with 2 SFP Ports

[508254] 120 Watt Power Budget, IP40-Rated Metal Housing, Endspan, DIN-Rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Industrial 4-Port Gigabit Ethernet PoE++ Switch with 2 SFP Ports

[508995] PoE Power Budget up to 240 Watt, Output up to 95 W per Port, IP40-Rated Metal Housing, DIN-Rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit Ethernet PoE+ Web-Managed Industrial Switch with 2 SFP Ports

[508278] 240 Watt Power Budget, IP30-Rated Metal Housing, Endspan, DIN-Rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit Ethernet Layer 2+ Web-Managed Industrial Switch with 2 SFP Ports

[508834] Power Budget, IP30-Rated Metal Housing, Endspan, DIN-Rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit Ethernet PoE+ Industrial Switch with PoE Passthrough

[561624] 120 Watt Power Budget, Endspan, Desktop

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit Ethernet PoE+ Industrial Switch with 2 SFP Ports

[508261] 240 Watt Power Budget, IP40-Rated Metal Housing, Endspan, DIN-Rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



INDUSTRIAL INJECTORS/SPLITTERS/EXTENDERS



Industrial Gigabit PoE++ Injector
[508919] 84 Watt Port, IP30-Rated Metal Housing, DIN-Rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Industrial Gigabit PoE++ Splitter
[508940] 60 Watt Input, 12 V / 4.25 A DC Output, IP30-rated Metal Housing, DIN-rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Industrial Gigabit PoE++ Extender
[508957] 80 Watt Port, Extends PoE up to 100 m (328 ft.), IEEE 802.3bt (4PPoE) Compliant, IP30-rated Metal Housing, DIN-rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Industrial Gigabit Media Converter and PoE++ Injector
[509107] 10/100/1000Base-TX to SFP Slot, PoE Injector Function, 90 W, IEEE 802.3bt (4PPoE) Compliant, IP30-rated Metal Housing, DIN-rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Industrial Gigabit Fiber SFP Optical Transceiver Module
[509084] 1000Base-LX (LC) Single-Mode Port, 40 km (25 mi.), Wavelength 1550 nm, MSA-compliant for Maximum Compatibility

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



INDUSTRIAL POWER SUPPLY



Industrial DIN-Rail Mount Power Supply Unit 120 Watt
[508728] Highly reliable, energy-efficient PSU for industrial applications and more. Single output with 120 W and 48 VDC at 2.5 A.

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Industrial DIN-Rail Mount Power Supply Unit 240 W
[508360] Highly reliable, energy efficient PSU for industrial applications and more. Single output with 240 W and 48.0 VDC at 5 A.

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Industrial DIN-Rail Mount Power Supply Unit (PSU) 480 Watt
[509091] Single Output, 48 VDC at 10 A, Complete Protection Functions, Universal AC Input

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



DATA SWITCHES



Fast Ethernet Switch

[\[523301\]](#) 5-Port Desktop Size, Metal, IEEE 802.3az (Energy Efficient Ethernet)

[\[523318\]](#) 8-Port Desktop Size, Metal, IEEE 802.3az (Energy Efficient Ethernet)

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit Ethernet Switch

[\[530347\]](#) Desktop Size, Metal Housing

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



5-Port Gigabit Ethernet Switch

[\[530378\]](#) Desktop Size, Metal Housing

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Fast Ethernet Switch

[\[561730\]](#) Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



5-Port Fast Ethernet Switch

[\[561723\]](#) Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



5-Port Gigabit Ethernet Switch

[\[561747\]](#) Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



8-Port Gigabit Ethernet Switch

[\[561754\]](#) Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



DATA SWITCHES

16-Port Gigabit Ethernet Switch [561068] 19" Rackmount with ears, Desktop

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



16-Port Gigabit Ethernet Switch [561815] 16-Port, Desktop, 19" Rackmount

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



24-Port Gigabit Ethernet Switch [561273] 24-Port, Desktop, 19" Rackmount with ears

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



24-Port Web-Managed Gigabit Ethernet Switch with 2 SFP Ports [560917] 2 x SFP Ports, 19" Rackmount, Metal

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



24-Port Gigabit Ethernet Switch with 2 SFP Ports [561877] 2 x SFP Ports, 19" Rackmount, Metal

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



24-Port Gigabit Ethernet Switch with 2 SFP Ports [561044] 2 x SFP Ports, 19" Rackmount, Metal

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



48-Port Gigabit Ethernet Web-Managed Switch with 4 SFP Ports [561334] 4 x SFP Ports, 19" Rackmount, Metal

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov





SINGLE MODE MEDIA CONVERTERS

The **IntelNet Network Solutions Media Converter** was specifically designed to offer the network designer a device for migration from copper-based Ethernet to Fiber Ethernet.

Gigabit Ethernet WDM Bi-Directional Single Mode Media Converter

[545068] 10/100/1000Base-TX to 1000Base-LX (SC) Single Mode, 20 km (12.4 mi.), WDM RX1550/TX15150
[545075] 10/100/1000Base-TX to 1000Base-LX (SC) Single Mode, 20 km (12.4 mi.), WDM RX1310/TX1550

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



[545068]



Gigabit Ethernet Single Mode Media Converter

[507349] 10/100/1000Base-T to 1000Base-LX (SC) Single Mode, Wavelength 1310 nm, 20 km (12.4 mi)

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



Fast Ethernet Single Mode Media Converter

[507332] 10/100Base-TX to 100Base-FX (SC) Single Mode, 20 km (12.4 mi)

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

Fast Ethernet WDM Bi-Directional Single Mode Media Converter

[510530] 10/100Base-TX to 100Base-FX (SC) Single Mode, 20 km (12.4 mi.), WDM RX1310/TX1550
[510547] 10/100Base-TX to 100Base-FX (SC) Single Mode, 20 km (12.4 mi.), WDM RX1550/TX15150

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



[510530]



MULTI-MODE MEDIA CONVERTERS



Gigabit Ethernet Multi Mode Media Converter
[506533] 1000Base-T to 1000Base-SX (SC) Multi-Mode, 550 m (1800 ft.)

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



Gigabit Ethernet Media Converter
[508315] 10/100/1000Base-T to 1000Base-SX (ST) Multi-Mode, 550 m (1,800 ft.), Autonegotiation

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



[506519]

Fast Ethernet Multi-Mode Media Converter
[506502] 10/100Base-TX to 100Base-FX (SC) Multi-Mode, 2 km (1.24 mi)
[506519] 10/100Base-TX to 100Base-FX (ST) Multi-Mode, 2 km (1.24 mi)

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



Gigabit Ethernet Media Converter
[508544] 10/100/1000Base-T to 1000Base-SX (SC) Multi-Mode, 550 m (1,800 ft.), Autonegotiation

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



14-Slot Media Converter Chassis
[507356] Includes redundant power supply, 19" rackmountable, 2 U

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



OPEN SLOT SFP MEDIA CONVERTERS



10G Base-T to 10GBase-R Media Converter
[\[508193\]](#) One 10 GB RJ45 port – maximum distance of 100 m (300 ft.). One 10 GB SFP+ port Supports IEEE802.3u, 10GBase-T and 10GBase-FL

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

Gigabit Ethernet to SFP Media Converter
[\[510493\]](#) 10/100/1000Base-TX to SFP slot, empty

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Industrial Gigabit Media Converter and PoE++ Injector
[\[509107\]](#) 10/100/1000Base-TX to SFP Slot, PoE Injector Function, 90 W, IEEE 802.3bt (4PPoE) Compliant, IP30-rated Metal Housing, DIN-rail Mount

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

Gigabit PoE+ Media Converter
[\[508216\]](#) One 10/100/1000 RJ45 port, maximum distance of 100 m (300 ft.). One SFP port distance up to 120 km (75 mi.)

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov





INDUSTRIAL MEDIA CONVERTERS



Fast Ethernet Industrial Media Converter
[508322] 100Base-TX to 100Base-FX (SC)
Single-mode, 20 km (12.4 mi.), IP40-rated
Metal Housing, DIN-rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



**Industrial Gigabit Media Converter
and PoE+ Injector***

[508988] 10/100/1000Base-TX to SFP Slot, PoE
Injector Function, 30 W, IEEE 802.3at/af Compli-
ant, IP40-rated Metal Housing, DIN-rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov
The actual appearance of this product may vary.



Industrial Gigabit Media Converter
[508971] 10/100/1000Base-TX to SFP Slot,
IP40-rated Metal Housing, DIN-rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov
The actual appearance of this product may vary.



Gigabit Industrial Media Converter
[508346] 10/100/1000Base-TX to 1000Base-LX
(SC) Single-mode, 20 km (12.4 mi.), IP40-rated
Metal Housing, DIN-Rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



Industrial Fast Ethernet Media Converter
[508964] 10/100Base-TX to 100Base-FX (SC)
Multi-Mode, 2 km (1.24 mi.), Wavelength 1310 nm,
IP40-rated Metal Housing, DIN-rail Mount

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



SFP/GBICS

The line of Intellinet Network Solutions **Small Form Factor Pluggable (SFP) Transceivers** provides customers with a combination of performance and affordability.



10 Gigabit Copper SFP+ Transceiver Module
[508179] 10GBase-T (RJ45) Port, 30 m (98 ft.), up to 10 Gbps Data-Transfer Rate with Cat6a Cabling; Compatible with Cisco Part Number SFP-10G-T



Gigabit RJ45 Copper SFP Transceiver Module
[523882] 1000Base-T (RJ-45) , 100 m (328 ft.); Compatible with Cisco Part Number GLC-T



10 Gigabit Fiber SFP+ Optical Transceiver Module
[507462] 10GBase-SR (LC) Multi-Mode Port, 300 m (984 ft.); Compatible with Cisco Part Number SFP-10G-SR
[507479] 10GBase-LR (LC) Single-Mode Port, 10 km (6.2 mi.); Compatible with Cisco Part Number SFP-10G-LR



10 Gigabit Fiber SFP+ Optical Transceiver Module
[508766] 10GBase-SR (LC) Multi-Mode Port, 300 m (984 ft.), HPE-compatible *Hewlett Packard Enterprise Compatible- Equivalent to the HPE J9150A / J9150D / JD092A / JD092B transceiver*

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



Gigabit Fiber SFP Optical Transceiver Module
[508742] 1000Base-SX (LC) Multi-Mode Port, 550 m (1,800 ft.), HPE-compatible *Hewlett Packard Enterprise Compatible- Equivalent to the HPE J4858A / J4858B / J4858C / J4858D transceiver*

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



Gigabit Fiber SFP Optical Transceiver Module
[545006] 1000 Base-SX (LC) Multi-Mode Port, 550 m (1,804 ft.); Compatible with Cisco Part Number GLC-SX-MM

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



MUST BE USED TOGETHER



Gigabit Fiber WDM Bi-Directional SFP Optical Transceiver Module

[508599] 1000Base-BX-D (LC) Single-Mode Port, 40 km (25 mi.), BiDi WDM (RX1310/TX1550), MSA-compliant for Maximum Compatibility

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

Gigabit Fiber WDM Bi-Directional SFP Optical Transceiver Module

[508582] 1000Base-BX-U (LC) Single-Mode Port, 40 km (25 mi.), BiDi WDM (RX1550/TX1310), MSA-compliant for Maximum Compatibility

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



10 Gigabit Fiber SFP+ Optical Transceiver Module

[508759] 10GBase-LR (LC) Single-Mode Port, 10 km (6.2 mi.), HPE-compatible

Hewlett Packard Enterprise Compatible- Equivalent to the HPE J9151A / J9151D / J0094A / J0094B transceiver

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Gigabit Fiber SFP

[506724] 1000Base-LX (LC) Single-Mode Port, 20 km (12.4 mi.); Compatible with Cisco Part Number GLC-LH-SM

[545013] 1000Base-LX (LC) Single-Mode Port, 10 km (6.2 mi.); Compatible with Cisco Part Number GLC-LH-SM

MUST BE USED TOGETHER



Gigabit Fiber WDM Bi-Directional SFP Optical Transceiver Module

[507486] 1000Base-LX (LC) Single-Mode Port, 10 km (6.2 mi.), WDM (RX1310/TX1550); Compatible with Cisco Part Number GLC-BX-D

[507509] 1000Base-LX (LC) Single-Mode Port, 10 km (6.2 mi.), WDM (RX1550/TX1310); Compatible with Cisco Part Number GLC-BX-U



Industrial Gigabit Fiber SFP Optical Transceiver Module

[508568] 1000Base-LX (LC) Single-Mode Port, 10 km (6.2 mi.), MSA-compliant for Maximum Compatibility

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

INDUSTRIAL



Industrial Gigabit Fiber SFP Optical Transceiver Module

[509084] 1000Base-LX (LC) Single-Mode Port, 40 km (25 mi.), Wavelength 1550 nm, MSA-compliant for Maximum Compatibility

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Industrial Gigabit Fiber SFP Optical Transceiver Module

[508551] 1000Base-SX (LC) Multi-Mode Port, 550 m, MSA-compliant for Maximum Compatibility

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



PATCH PANELS

The backbone of your network is central to your organization's success. Trust Intellinet to provide Patch Panels that maintain the integrity of your data.



Cat5e Wall-Mount Patch Panel
[162470] 12-Port, UTP, with wall bracket

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Cat6 Wall-Mount Patch Panel
[560269] 12-Port, UTP, with wall bracket

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Cat5e Patch Panel
[513548] 16-Port, UTP, 1U

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Cat6 Patch Panel
[519526] 16-Port, UTP, 1U

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Cat6 Patch Panel
[520959] 24-Port, UTP, 1U

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Cat5e Patch Panel
[513555] 24-Port, UTP, 1U

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Cat6 Patch Panel
[560283] 48-Port, UTP, 2U

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Cat5e Patch Panel
[513579] 48-Port, UTP, 2U

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Cat6a Shielded Patch Panel
[720922] 24-Port, FTP, 19", 0.5 U, 90°

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Blank Patch Panel
[720847] 24-Port, 1 U, Black



Cat6a Shielded Patch Panel
[720861] 24-Port, FTP, 1 U, 90° Top-Entry Punch-Down Blocks,

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



WALL BRACKETS



19" Hinged Wall Bracket, 1U, 5" Depth
[402439] For use with most 19" patch panels

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



19" Hinged Wall Bracket, 2U, 5" Depth
[402446] For use with most 19" patch panels

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

ONE STOP SOLUTION PROVIDER



INTELLINET®

NETWORK SOLUTIONS



TOOLS AND TESTERS



CRIMPER & TESTER IN ONE

Universal Modular Plug Crimping Tool and Tester

[780124] 2-in-1 Crimper and Cable Tester—Cuts, Strips, Terminates and Tests

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Universal Modular Plug Crimping Tool

[211048] For RJ45, RJ12 and RJ11 Modular Plugs. Cuts and strips both round and flat cable

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



4-Piece Network Tool Kit

[780070] 4 Tool Network Kit Composed of LAN Tester, LSA punch down tool, Crimping Tool and Cutter/Stripper Tool

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



FastCrimp Modular Plug Crimping Tool

[790352] For Intellinet FastCrimp RJ45 Modular Plugs and Compatible Plugs

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Terminal Block Impact Tool

[211055] For 110/88 Terminal Blocks. Adjustable impact pressure control

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



TOOLS AND TESTERS



4-in-1 Cable Tester

[351911] Tests patch cables and installed wiring. 600 ft. test distance. LEDs indicate connections and faults.

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



POE+ Tester

[780131] Test RJ45 ports for a PoE+ connection; Detects Endspan, Midspan, IEEE802.3af and IEEE802.3at.

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



5-in-1 Cable Tester

[780094] Versatile cable tester. For Cat5/6 network and ISDN connection tests. USB AB- and IEEE1394 6-pin FireWire cable tester.

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



Net Toner and Probe Kit

[515566] Two position switch for single or multi-tone signal. LEDs for line polarity, continuity and voltage.

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



Modular Plug Crimp Tool

[211062] For RJ45 Plugs, Strips and Cuts

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



Multifunction Cable Tester

[351898] Tests RJ11 and RJ45. Cable type: UTP/STP/FTP. LEDs indicate connections and faults

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



FRONT SWINGING RACKS



19" Wall Mount 2-Post Open Frame Network Rack, 6U

Hinged Swing Frame, 17.7 in. Depth, Flat Pack

[716178]

- Open frame for easy access to equipment from all sides and for maximum airflow with efficient heat dissipation
- Front-hinged design that lets the frame swing open for even easier access to panels
- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating



19" Wall Mount 2-Post Open Frame Network Rack, 6U

Hinged Swing Frame, 17.7" Depth, Flat Pack

[716185]

- Open frame for easy access to equipment from all sides and for maximum airflow with efficient heat dissipation
- Wall-mountable for network areas with limited floor space
- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating



19" Wall Mount 2-Post Open Frame Network Rack, 12U

Hinged Swing Frame, 17.7" Depth, Flat Pack

[716192]

- Open frame for easy access to equipment from all sides and for maximum airflow with efficient heat dissipation
- Wall-mountable for network areas with limited floor space
- Simple and cost-effective solution; great for testing IT equipment and for secure environments that do not require a lockable network cabinet
- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating



FRONT SWINGING RACKS



19" Wall Mount 2-Post Open Frame Network Rack, 15U

Hinged Swing Frame, 17.7" Depth, Flat Pack

[716208]

- Open frame for easy access to equipment from all sides and for maximum airflow with efficient heat dissipation
- Wall-mountable for network areas with limited floor space
- Simple and cost-effective solution; great for testing IT equipment and for secure environments that do not require a lockable network cabinet
- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating

REAR SWINGING RACKS



19" Wall Mount 4-Post Open Frame Network Rack, 6U

Hinged Swing Frame, 23.8" Depth, Assembled

[716031]

- Open frame for easy access to equipment from all sides and for maximum airflow with efficient heat dissipation
- Rear-hinged design that lets the frame swing open for even easier access to rear panels
- Wall-mountable for network areas with limited floor space
- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating





REAR SWINGING RACKS



19" Wall Mount 4-Post Open Frame Network Rack, 9U

Hinged Swing Frame, 23.8" Depth, Assembled

[716048]

- Open frame for easy access to equipment from all sides and for maximum airflow with efficient heat dissipation
- Rear-hinged design that lets the frame swing open for even easier access to rear panels
- Wall-mountable for network areas with limited floor space
- Simple and cost-effective solution; great for testing IT equipment and for secure environments that do not require a lockable network cabinet
- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating



19" Wall Mount 4-Post Open Frame Network Rack, 12U


Hinged Swing Frame, 23.8" Depth, Assembled

[716055]

- Open frame for easy access to equipment from all sides and for maximum airflow with efficient heat dissipation
- Wall-mountable for network areas with limited floor space
- Simple and cost-effective solution; great for testing IT equipment and for secure environments that do not require a lockable network cabinet
- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating



REAR SWINGING RACKS



19" Wall Mount 4-Post Open Frame Network Rack, 15U

Hinged Swing Frame, 23.8 in. Depth, Assembled [716161]

- Open frame for easy access to equipment from all sides and for maximum airflow with efficient heat dissipation
- Rear-hinged design that lets the frame swing open for even easier access to rear panels
- Wall-mountable for network areas with limited floor space
- Simple and cost-effective solution; great for testing IT equipment and for secure environments that do not require a lockable network cabinet
- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating
- Four posts with front and rear mounting rails for maximum strength and stability



CABINETS

Intellinet Network Solutions Double-Section wallmount cabinets offer you a flexible solution for your network installations.



19" Wallmount Cabinet
[711715] 6U, Flatpack, Black

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

19" Double Section Wallmount Cabinet
[711845] 9U, Double Section, Assembled

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



FLATPACKED CABINETS

MODEL#	DESCRIPTION
711715*	19" Wallmount Cabinet, 6U, 17.7" Depth, Usable depth: 10.24", Flatpacked
711777*	19" Wallmount Cabinet, 9U, 17.7" Depth, Usable depth: 10.24", Flatpacked
711869*	19" Wallmount Cabinet, 12U, 17.7" Depth, Usable depth: 10.24", Flatpacked
713825*	19" Double Section Wallmount Cabinet, 6U, 23.6" Depth, Usable depth: 15.16", Flatpacked
713849*	19" Double Section Wallmount Cabinet, 9U, 23.6" Depth, Usable depth: 15.16", Flatpacked
713863*	19" Double Section Wallmount Cabinet, 12U, 23.6" Depth, Usable depth: 15.16", Flatpacked
713887*	19" Double Section Wallmount Cabinet, 15U, 23.6" Depth, Usable depth: 15.16", Flatpacked

ASSEMBLED CABINETS

711845*	19" Double Section Wallmount Cabinet, 9U, Usable depth: 16.73", Assembled
712019*	19" Double Section Wallmount Cabinet, 15U, 23.6" Depth, Usable depth: 16.73", Assembled

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



SHELVES



19" Cantilever Shelf

[715072] 1U, 300 mm (11.8 in.) Shelf Depth, Non-Vented

[715102] 1U, 350 mm (13.8 in.) Shelf Depth, Non-Vented

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



19" Cantilever Shelf

[714884] 1U, 300 mm (11.8 in.) Shelf Depth, Vented

[714891] 1U, 350 mm (13.8 in.) Shelf Depth, Vented

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



19" Cantilever Shelf

[712507] 2U, 2-Point Front Mount, 250 mm Depth (9.8 in.), Vented

[712514] 2U, 2-Point Front Mount, 400 mm Depth (15.7 in.), Vented

[712514] 2U, 2-Point Front Mount, 400 mm Depth (15.7 in.), Vented

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



19" Fixed Extending Shelf

[714389] 1U, adjustable depth of 20" - 40"

(55.88 - 101.6 cm), Vented

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



19" Blank Panel

[712675] 1U, Black

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



19" Cable Entry Panel

[712767] 1U, with Brush Insert, Black

[712774] 2U, with Brush Insert, Black

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



19" Cable Management Panel

[714679] 19" Rackmount Cable

Manager, 1U, with Cover, Black

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



19" Cable Management Panel

[711050] 1U, 4 short plastic rings, Black

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



19" Cable Management Panel

[716062] 2U, with cover, Black

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

PANELS

ACCESSORIES



Cage Nut Set, M6

[712194] 20 pcs., Bag

[711081] 50 pcs., Jar

[713658] 100 pcs., Jar



CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

10-32 Screws

[715171] 50 Cage Nuts, Jar

[715218] 50 Cage Nuts, Bag



12-24 Screws

[715157] 50 Cage Nuts, Jar

[715188] 50 Cage Nuts, Bag

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

Fins provide easy access and protection



Cat5e UTP Cables



Length	Grey	White	Black	Red	Orange	Yellow	Green	Blue	Pink	Purple
Cat5e UTP Unshielded										
0.5 ft. (0.15 m)	345590	347167	347310	347327	347334	347341	347358	347365	Not Available	453424
1 ft. (0.3 m)	345606	347181	736091	347457	347464	347471	347488	347495	453042	453431
1.5 ft. (0.5 m)	318228	345088	345125	345101	341509	345118	325912	325905	453059	453448
2 ft. (0.6 m)	738231	738279	737074	738248	738262	738255	738224	738217	738293	738286
3 ft. (1.0 m)	318921	320672	320740	318952	338455	318969	318945	318938	453066	Not Available
5 ft. (1.5 m)	336628	338370	338387	338394	338431	338424	338417	338400	453073	453462
7 ft. (2.0 m)	318976	320689	320757	319300	Not Available	319744	318990	318983	Not Available	Not Available
10 ft. (3.0 m)	319768	320696	320764	319799	338295	319805	319782	319775	453097	453486
14 ft. (5.0 m)	319812	320702	320771	319843	338301	319850	319836	319829	453103	453493
25 ft. (7.5 m)	319867	320719	320788	319898	Not Available	319966	319881	319874	453110	Not Available
35 ft. (10.5 m)	740036	740074	740005	740043	740067	740050	740029	740012	740081	740098
50 ft. (15.0 m)	319973	320726	320795	320603	338325	320610	319997	319980	453127	453516
75 ft. (22.5 m)	740135	740173	740104	740142	740166	740159	740128	740111	740180	740197
100 ft. (30.0 m)	320627	320733	320801	320658	338332	320665	320641	320634	453141	453530



Cat5e (UTP) Bulk Cable

[325899] 305 m Box, Gray, 24 AWG, Solid, Gray, Copper

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

⊕ Copper
⊕ Impedance Matched

⊕ Gold Plated Contacts
⊕ Unique PVC Jacket

⊕ Snag Free Boots
⊕ Strain Relief
⊕ Standards Tested

Cat6 UTP Cables



Length	Grey	White	Black	Red	Orange	Yellow	Green	Blue	Pink	Purple
Cat6 UTP Unshielded										
0.5 ft. (0.15 m)	347174	347372	347389	347396	347402	347419	347426	347433	392730	392990
1 ft. (0.3 m)	340526	347501	343312	343329	347518	344920	344845	343282	329743	393102
1.5 ft. (0.5 m)	340427	341936	342032	342131	342230	342339	342469	342568	392754	393119
2 ft. (0.6 m)	739948	739986	738309	739955	739979	739962	738323	738316	737005	739993
3 ft. (1.0 m)	340373	341943	342049	342148	342247	342346	342476	342575	392761	393126
5 ft. (1.5 m)	340380	341950	342056	342155	342254	342353	342483	342582	392778	393133
7 ft. (2.0 m)	334112	341967	342063	342162	342261	342360	342490	342599	392785	393140
10 ft. (3.0 m)	334129	341974	342070	342179	342278	342377	342506	342605	392792	393157
14 ft. (5.0 m)	336765	343732	343350	343367	343749	343725	343718	343305	392808	393164
25 ft. (7.5 m)	336758	341998	342094	342193	342292	342391	342520	342629	392815	393171
35 ft. (10.5 m)	740234	740272	740203	740241	740265	740258	740227	740210	740289	740296
50 ft. (15.0 m)	336772	342001	342100	342209	342308	342407	342537	342438	392822	393188
75 ft. (22.5 m)	740333	740371	740302	740340	740364	740357	740326	740319	740388	740395
100 ft. (30.0 m)	340557	342025	342124	342223	342322	342452	342551	342414	392846	393201




Cat6 Bulk Cable, Solid, 23 AWG

[334136] UTP, 305 m (1,000 ft.), CM Rated, Plastic Reel, Gray, Copper

CALIFORNIA | ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



CAT6 UTP SLIM PATCH CABLE



- ✓ 100% Copper
- ✓ Cat6 compliant
- ✓ Snag-free boots to protect connectors
- ✓ 30 AWG

Length	Black	Blue	Orange	Red	Yellow	White	Gray	Green
1 ft. (0.3 m)	-	-	743556	743501	743457	751490	751568	743402
1.5 ft. (0.5 m)	742078	742139	744171	744157	744133	751506	751575	744119
3 ft. (1 m)	742085	742146	743563	743518	743464	751513	751582	743419
5 ft. (1.5 m)	742092	742153	743570	743525	743471	751520	751599	743426
7 ft. (2 m)	742108	742160	743587	743532	743488	751537	751605	743433
10 ft. (3 m)	742115	742177	743594	743549	743495	751544	751612	743440
14 ft. (5 m)	742122	742184	744188	744164	744140	751551	751629	744126

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

CAT6A S/FTP PATCH CABLES



- ✓ 100% Copper
- ✓ Augmented Category 6 (Cat6a)
- ✓ Screened fully-shielded twisted pair cable


- ✓ Snag-free boots to protect connectors
- ✓ 26 AWG
- ✓ PiMF (aluminum-mylar foil)

Length	Black	Blue	Gray	Green	White	Yellow
1 ft. (0.3 m)	313834	315982	743129	743334	743198	743266
3 ft. (1 m)	741521	741477	743136	743341	743204	743273
5 ft. (1.5 m)	742191	742207	743143	743358	743211	743280
7 ft. (2 m)	741538	741484	743150	743365	743228	743297
10 ft. (3 m)	741545	741491	743167	743372	743235	743303
14 ft. (5 m)	741552	741507	743174	743389	743242	743310
25 ft. (7.5 m)	741569	741514	743181	743396	743259	743327
50 ft.	742689	742696	N/A	N/A	N/A	N/A
100 ft.	742702	742719	N/A	N/A	N/A	N/A

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



CAT8.1 S/FTP PATCH CABLES



Cat8.1 Network Cables

Available in 1, 3, 5, 7, 10, 14, 25 & 50 ft.

- ✓ 100% Copper
- ✓ Cat8 compliant
- ✓ Snag-free boots to protect connectors
- ✓ 24/7 AWG

Length	Black	Blue	White
1 ft. (0.3 m)	743044	742962	742726
3 ft. (1 m)	743051	742979	742733
5 ft. (1.5 m)	743068	742986	742740
7 ft. (2 m)	743075	742993	742757
10 ft. (3 m)	743082	743006	742764
14 ft. (5 m)	743099	743013	742771
25 ft. (7.5 m)	743105	743020	742788
50 ft.	743112	743037	742795



CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



WALL PLATES



Keystone Wall Plate

[772464] Flush Mount, 1-Outlet, Ivory

[772563] Oversized, Flush Mount, 1-Outlet, Ivory

[772419] Flush Mount, 1-Outlet, White

[772518] Oversized, Flush Mount, 1-Outlet, White

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Keystone Wall Plate


[772471] Flush Mount, 2-Outlet, Ivory

[772570] Oversized, Flush Mount, 2-Outlet, Ivory

[772426] Flush Mount, 2-Outlet, White

[772525] Oversized, Flush Mount, 2-Outlet, White

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Keystone Wall Plate

[772488] Flush Mount, 3-Outlet, Ivory

[772587] Oversized, Flush Mount, 3-Outlet, Ivory

[772433] Flush Mount, 3-Outlet, White

[772532] Oversized, Flush Mount, 3-Outlet, White

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Keystone Wall Plate

[772495] Flush Mount, 4-Outlet, Ivory

[772594] Oversized, Flush Mount, 4-Outlet, Ivory

[772440] Flush Mount, 4-Outlet, White

[772549] Oversized, Flush Mount, 4-Outlet, White

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

Keystone Wall Plate


[772501] Flush Mount, 6-Outlet, Ivory

[772600] Oversized, Flush Mount, 6-Outlet, Ivory

[772457] Flush Mount, 6-Outlet, White

[772556] Oversized, Flush Mount, 6-Outlet, White

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Outdoor Vandalproof PoE Extender/Repeater



2-Port Outdoor Vandalproof Gigabit Ultra PoE Extender/ Repeater

Adds up to 100 m (328 ft.) to PoE Range, Two 30 W Ports, 60 W Power Budget, IEEE 802.3bt/at/af Compliant, IP67 Waterproof, IK10-rated, Metal Housing

- Functional as a PoE-powered 3-port Gigabit switch with PoE passthrough
- Requires no additional power supply; draws power directly from the PoE input
- IP67-rated, dustproof and waterproof plus IK10-rated, vandal-proof

[\[561648\]](#)

Ultra PoE



IP67
Weather-Proof

60
Watts Power Budget



Ultra PoE Injector

100 m
60 W
**EXTENDS UP TO
656 FT.**



2-Port Ultra PoE Extender

100 m
30 W
100 m
30 W



PoE PTZ
Camera



MODULAR PLUGS

Category	Type	Fast Crimp	Cable Type	Content	Packaging	Description	Model#
Cat5e	UTP		3-prong for solid wire	100 pcs	Jar	15µ gold plated	502399*
Cat5e	UTP		2-prong for stranded wire	100 pcs	Jar	15µ gold plated	790055*
Cat5e	UTP		3-prong for solid wire	100 pcs	Jar	50µ gold plated	790512*
Cat5e	UTP	Yes	3-prong for Solid & Stranded Wire	50 pcs	Bag	3µ gold plated	790369
Cat5e	UTP	Yes	3-prong for Solid & Stranded Wire	100 pcs	Jar	3µ gold plated	791083
Cat6	UTP		2-prong for stranded wire	100 pcs	Jar	15µ gold plated	502344*
Cat6	UTP		3-prong for solid wire with Liners	90 pcs	Jar	15µ gold plated	790604*
Cat6	UTP		3-prong for solid wire with Liners & Sleds	80 pcs	Jar	50µ gold plated	790536*
Cat6	UTP		2-prong for stranded wire with Liners	90 pcs	Jar	50µ gold plated	790611*
Cat6	UTP	Yes	3-prong for Solid & Stranded Wire	50 pcs	Bag	3µ gold plated	790383
Cat6	UTP	Yes	3-prong for Solid & Stranded Wire	100 pcs	Jar	3µ gold plated	791090

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



RJ45 COMPONENTS



2-Port Modular Distributor - 504195




Cat5e Inline Coupler, Keystone Type - 504935



Cat6 Inline Coupler, Keystone Type - 505147



Cat5e Inline Coupler, Keystone Type - 504775



Cat6 Inline Coupler, Keystone Type - 504898



Cat5e Modular Inline Coupler - 504768



Cat6 Modular Inline Coupler - 505130




HDMI Inline Coupler, Keystone Type - 771351




Cat6a Outdoor Modular Inline Coupler - 791120

KEYSTONE JACKS



Cat5e

Model#	Type & Color
210355*	UTP, White
210416*	UTP, Black
210546*	UTP, Blue
210997*	UTP, Green
210478*	UTP, Red
210577*	UTP, Orange
210188*	UTP, Ivory
210133*	UTP, Yellow



FASTPUNCH KEYSTONE JACKS

Cat6

Model#	Type & Color
210591*	UTP, White
210720*	UTP, Black
210737*	UTP, Blue
210638*	UTP, Green
210614*	UTP, Red
210775*	UTP, Orange
210607*	UTP, Ivory
210584*	UTP, Yellow



FastPunch Cat5e Keystone Jack
771993

FastPunch Cat5e Keystone Jack
772266

FastPunch Cat5e Keystone Jack
772273



FastPunch Cat6 Keystone Jack
772297



FastPunch Cat6 Keystone Jack
771986

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



FIBER OPTIC CABLES

Length	OM1 Multimode
Duplex Jumper LC/LC 62.5/125µm	
3 ft. (1.0 m)	471206
7 ft. (2.0 m)	471213
10 ft. (3.0 m)	471220
14 ft. (5.0 m)	471237
33 ft. (10.0 m)	471244
Duplex Jumper LC/SC 62.5/125µm	
3 ft. (1.0 m)	471251
7 ft. (2.0 m)	471268
10 ft. (3.0 m)	471275
14 ft. (5.0 m)	471282
33 ft. (10.0 m)	471299
Duplex Jumper LC/ST 62.5/125µm	
3 ft. (1.0 m)	471305
7 ft. (2.0 m)	471312
10 ft. (3.0 m)	471329
14 ft. (5.0 m)	471336
33 ft. (10.0 m)	471343
Duplex Jumper SC/SC 62.5/125µm	
3 ft. (1.0 m)	515818
7 ft. (2.0 m)	515825
10 ft. (3.0 m)	511308
14 ft. (5.0 m)	510332
33 ft. (10.0 m)	515832
Duplex Jumper ST/SC 62.5/125µm	
3 ft. (1.0 m)	515788
7 ft. (2.0 m)	515795
10 ft. (3.0 m)	510349
14 ft. (5.0 m)	510356
33 ft. (10.0 m)	515801
Duplex Jumper ST/ST 62.5/125µm	
3 ft. (1.0 m)	515757
7 ft. (2.0 m)	515764
10 ft. (3.0 m)	511216
14 ft. (5.0 m)	510325
33 ft. (10.0 m)	515771
100 ft. (30 m)	751223

Length	Om2 Multimode
Duplex Jumper SC/SC 50/125µm	
33 ft. (10.0 m)	470049
Duplex Jumper ST/ST 50/125µm	
10 ft. (3.0 m)	470094
Duplex Jumper LC/LC 50/125µm	
66 ft. (20.0 m)	472753
Duplex Jumper LC/SC 50/125µm	
66 ft. (20.0 m)	472814
Duplex Jumper LC/ST, 50/125 µm	
14 ft. (5.0 m)	470438
33 ft. (10.0 m)	470445
66 ft. (20.0 m)	472692
Duplex Jumper ST/SC 50/125 µm	
70 ft. (20.0 m)	472586
Duplex Jumper SC/SC, 50/125 µm	

Length	OS2 Singlemode
Duplex Jumper LC/LC 9/125µm	
3 ft. (1.0 m)	516785
7 ft. (2.0 m)	750004
10 ft. (3.0 m)	471893
14 ft. (5.0 m)	516792
33 ft. (10.0 m)	516815
66 ft. (20.0 m)	750967
Duplex Jumper SC/SC 9/125µm	
3 ft. (1.0 m)	470605
7 ft. (2.0 m)	470612
10 ft. (3.0 m)	470629
14 ft. (5.0 m)	470636
33 ft. (10.0 m)	470643
Duplex Jumper LC/SC 9/125µm	
3 ft. (1.0 m)	473965
7 ft. (2.0 m)	473972
10 ft. (3.0 m)	472050
14 ft. (5.0 m)	473729
33 ft. (10.0 m)	473996
Duplex Jumper LC/ST 9/125µm	
3 ft. (1.0 m)	474016
7 ft. (2.0 m)	750011
10 ft. (3.0 m)	516952
14 ft. (5.0 m)	516976
33 ft. (10.0 m)	474047
66 ft. (20.0 m)	516990
Duplex Jumper ST/SC, 9/125 µm	
3 ft. (1.0 m)	751315
7 ft. (2.0 m)	751322
10 ft. (3.0 m)	751339
14 ft. (5.0 m)	751346
33 ft. (10.0 m)	751308
Duplex Jumper ST/ST, 9/125 µm	
3 ft. (1.0 m)	751254
7 ft. (2.0 m)	751261
10 ft. (3.0 m)	751278
14 ft. (5.0 m)	751285
33 ft. (10.0 m)	751292





FIBER OPTIC CABLES

Length	OM3 Multimode	OM4 Multimode
Duplex Jumper LC/LC 50/125μm		
3 ft. (1.0 m)	750868	750875
7 ft. (2.0 m)	750134	750882
10 ft. (3.0 m)	750066	751162
14 ft. (5.0 m)	750080	750899
33 ft. (10.0 m)	750097	751032
Duplex Jumper LC/SC 50/125μm		
3 ft. (1.0 m)	750912	751049
7 ft. (2.0 m)	750158	750929
10 ft. (3.0 m)	750165	750936
14 ft. (5.0 m)	751094	751056
33 ft. (10.0 m)	750523	751179
66 ft. (20.0 m)	750943	751186
Duplex Jumper LC/ST 50/125μm		
3 ft. (1.0 m)	751117	
7 ft. (2.0 m)	751001	
10 ft. (3.0 m)	751124	
14 ft. (5.0 m)	751131	
33 ft. (10.0 m)	751148	
Duplex Jumper SC/SC 50/125μm		
3 ft. (1.0 m)	751025	
7 ft. (2.0 m)	750837	
10 ft. (3.0 m)	751100	
14 ft. (5.0 m)	750844	
33 ft. (10.0 m)	750851	
33 ft. (10.0 m)	470049	
66 ft. (20.0 m)	751070	
Duplex Jumper ST/SC 50/125μm		
3 ft. (1.0 m)	751421	
7 ft. (2.0 m)	751438	
10 ft. (3.0 m)	751445	
14 ft. (5.0 m)	751452	
33 ft. (10.0 m)	751469	
Duplex Jumper ST/LC 50/125μm		
66 ft. (20.0 m)	751155	



NETWORK CARDS

Gigabit PCI Express Network Card

[522533] 10/100/1000 Mbps PCI Express Ethernet Card



CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Part #	# of Displays	Size	Weight Limit (per display)	Tilt	Swivel	Rotation	Single or Double Arm	Mount Style
432351	1	13" to 22"	26 lbs / 12 kg	±90°	±90°	360°		Wall
423670	1	13" to 27"	33 lbs / 15 kg	±15°	180°		Double	Wall
461382	1	13" to 27"	44 lbs / 20 kg	+5° to -12°	±90°		Double	Wall
461399	1	13" to 42"	44 lbs / 20 kg	+5° to -12°	±90°		Single	Wall
461405	1	13" to 42"	44 lbs / 20 kg	+5° to -12°	±45°		Double	Wall
461603	1	17" to 32"	17 lbs / 8 kg	±35°	±90°	±180°	Single	Wall
461627	2	17" to 32"	17 lbs / 8 kg	±35°	±90°	±180°	Single	Wall
423755	1	23" to 42"	44 lbs / 20 kg	±15°	180°		Double	Wall
461320	1	32" to 55"	77 lbs / 35 kg	+10° to -15°	±90°			Wall
461450	1	32" to 55"	77 lbs / 35 kg	+12° to -12°				Wall
461344	1	32" to 55"	88 lbs / 40 kg	-15° to 5°	±60°			Wall
460941	1	32" to 55"	77 lbs / 35 kg	0° to -14°				Wall
461474	1	32" to 55"	176 lbs / 80 kg	-10° to 5°				Wall
460934	1	32" to 55"	88 lbs / 40 kg					Wall
461214	1	37" to 63"	132 lbs / 60 kg	±15°	120°			Corner
461290	1	37" to 90"	165 lbs / 75 kg	-15° to 5°	±60°			Wall
423625	1	37" to 70"	110 lbs / 50 kg	0° to -15°	360°			Ceiling
461283	1	37" to 70"	110 lbs / 50 kg	-20 to +10°	180°			Wall
424752	1	37" to 70"	165 lbs / 75 kg	0° to -10°				Wall
461337	1	37" to 70"	77 lbs / 35 kg	+10° to -15°	±90°			Wall
461351	1	37" to 70"	88 lbs / 40 kg	-15° to 5°	±60°			Wall
461986	1	37" to 70"	110 lbs / 50 kg					Wall
461412	1	37" to 70"	110 lbs / 50 kg	-8° to 0°				Tripod
461245	1	37" to 70"	110 lbs / 50 kg	-12° to ±5°	90°			Cart
461238	1	37" to 70"	88 lbs / 40 kg	+/- 10°				Cart
461979	1	37" to 70"	77 lbs / 35 kg	0° to 8°				Wall
461481	1	37" to 80"	176 lbs / 80 kg	-10° to +5°				Wall
423830	1	37" to 85"	165 lbs / 75 kg	±10°				Wall
461825	1	40" to 70"	77 lbs / 35 kg	+5° to -15°	±45°	±16°		Wall
461221	1	60" to 100"	176 lbs / 80 kg	-15° to 5°	±45°			Wall
461672	1	60" to 100"	220 lbs / 100 kg	-10° to +5°				Cart
461993	1	60" to 100"	220 lbs / 100 kg					Wall

CALIFORNIA 1 ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Universal Flat-Panel TV Articulating Wall Mount

[423670]

- Optimize views with $\pm 15^\circ$ tilt and 180° swivel adjustments
- Meets VESA standard: 75 x 75 or 100 x 100
- Supports TVs from 13" to 27" up to 33 lbs.
- Extends TV up to 16.06 in. from wall



Universal Flat-Panel TV Articulating Wall Mount

[461382]

- Double Arm; Supports One 13" to 27" TV or Monitor up to 20 kg (44 lbs.)
- Meets VESA standards: 75 x 75 or 100 x 100
- Optimize views with $+5^\circ$ to -12° tilt, $\pm 90^\circ$ swivel and $\pm 3^\circ$ level adjustment,
- Extends TV up to 35.4 cm (13.9 in.) from wall



Universal Flat-Panel TV Articulating Wall Mount

[461399]

- Single Arm supports One 13" to 42" TV or Monitor up to 20 kg (44 lbs.)
- Meets VESA standards, 75 x 75, 100 x 100, 200 x 100 or 200 x 200
- Optimize views with $+5^\circ$ to -12° tilt, $\pm 90^\circ$ swivel and $\pm 3^\circ$ level adjustment
- Extends TV up to 19 cm (7.5 in.) from wall



Universal Flat-Panel TV Articulating Wall Mount

[461405]

- Double Arm, Supports One 13" to 42" TV or Monitor up to 20 kg (44 lbs.)
- Meets VESA standards 75 x 75, 100 x 100, 200 x 100 or 200 x 200
- Optimize views with $+5^\circ$ to -12° tilt, $\pm 45^\circ$ swivel and $\pm 3^\circ$ level adjustment
- Extends TV up to 27.3 cm (10.75 in.) from wall



Universal Flat-Panel TV Articulating Wall Mount

[423755]

- Double Arm supports one 23" to 42" TV up to 20 kg (44 lbs.)
- Optimize views with $\pm 15^\circ$ tilt and 180° swivel adjustments
- Meets VESA standards; 100 x 100, 200 x 100 or 200 x 200 ,
- Extends TV up to 40 cm (15.75 in.) from wall

TV MOUNTS



Universal Gas Spring Monitor Wall Mount

[461603]

- Single Gas-Spring Arm supports One 17" to 32" TV or Monitor to 8 kg (17.64 lbs.)
- Meets VESA standards; 75 x 75 and 100 x 100
- Extends monitor 71 mm (2.8 in.) to 304 mm (11.97 in.) from wall
- Optimize views with $\pm 35^\circ$ tilt, $\pm 90^\circ$ swivel and rotate $\pm 180^\circ$



Universal Gas Spring Dual Monitor Wall Mount

[461627]

- Two Gas-Spring Jointed Arms supports two 17" to 32" TV or Monitors up to 8 kg (17.64 lbs.)
- Meets VESA standards; 75 x 75 and 100 x 100
- Extends monitor 71 mm (2.8 in.) to 464 mm (18.27 in.) from wall
- Optimize views with $\pm 35^\circ$ tilt, $\pm 90^\circ$ swivel and rotate $\pm 180^\circ$



Universal Basic LCD Full-Motion Wall Mount

[461320]

- Securely holds one flat-panel or curved television 32" to 55" Flat-Panel or Curved TV up to 35 kg (77 lbs.);
- Meets VESA standards; 200x200, 300x300, 400x200, 400x400
- Extends TV up to 42.7 cm (16.81 in.) from wall,
- Optimize views with $+10^\circ$ to -15° tilt, $\pm 90^\circ$ swivel, $\pm 3^\circ$ level adjustment



Universal Basic LCD Full-Motion Wall Mount

[461344]

- Holds One 32" to 55" Flat-Panel or Curved TV up to 40 kg (88 lbs.);
- Meets VESA standards: 200x200, 300x300, 400x200, 400x400
- Extends TV up to 46.4 cm (18.27 in.) from wall
- Optimize views with -15° to 5° tilt, $\pm 60^\circ$ swivel, $\pm 3^\circ$ level Adjustment

Universal Flat-Panel TV Tilting Wall Mount

[460941]

- Securely holds one flat-panel television 32" to 55" Television up to 35 kg (77 lbs.);
- Meets VESA standards: 200 x 200, 300 x 300, 400 x 200 & 400 x 400
- Optimize views with 0° to -14° tilt adjustment
- Extends 25 mm (0.98 in.)



Universal Flat-Panel TV Tilting Wall Mount with Post-Leveling Adjustment

[461474]

- Supports One **32" to 55"** television up to 80 kg (176 lbs.)
- Meets VESA standards: 200 x 200, 400 x 200, 300 x 300, 400 x 400
- Optimize views with -10° to 5° tilt adjustment, Extension: 53 mm (2.08 in.)



Universal Flat-Panel TV Tilting Wall Mount with Integrated Storage Area

[461450]

- Supports One **32" to 55"** Television up to 35 kg (77 lbs.)
- Meets VESA standards 200 x 200, 300 x 200, 400 x 200, 300 x 300, 400 x 300, 400 x 400
- Optimize views with -12° to +12° tilt adjustment; Extension: 89 mm (3.5 in.)



Universal Flat-Panel TV Low-Profile Wall Mount

[460934]

- Supports One **32" to 55"** Television up to 40 kg (88 lbs.)
- Meets VESA standards 200 x 200, 300 x 200, 400 x 200, 300 x 300, 400 x 300, 400 x 400
- Low-profile, fixed installation



Universal LCD Full-Motion Corner Wall Mount

[461214]

- Holds One **37" to 63"** TV up to 60 kg (132 lbs.)
- Meets VESA standards 200 x 200, 300 x 300, 400 x 200, 400 x 400, 600 x 400 & 800 x 400
- Optimize views with ±15° tilt, 120° swivel, ±5° level adjustment
- Flexible design allows corner or standard wall mounting



Universal LCD Full-Motion Large-Screen Wall Mount

[461290]

- Holds One **37" to 90"** Flat-Panel or Curved TV up to 75 kg (165 lbs.)
- Meets VESA standards 200 x 200, 300 x 300, 400 x 200, 400 x 400, 600 x 400, 800 x 400
- Optimize views with -15° to 5° tilt, 60° swivel and ±3° level adjustment
- Extends TV up to 63.5 cm (25 in.) from wall



Universal Flat-Panel TV Ceiling Mount

[423625]

- Supports One **37" to 70"** Television up to 50 kg (110 lbs.)
- Meets VESA standards: 200x200, 400x200, 300x300, 400x400, 600x400, 800x400
- Optimize views with 0° to -15° tilt and 360° swivel adjustments
- Extension pole: adjusts 41 to 61 in.

TV MOUNTS



Heavy-Duty Low-Profile TV Wall Mount

[461986]

- Holds One 37" to 70" Flat-Panel up to 50 kg (110 lbs.)
- Meets VESA standards: 200x200, 300x300, 400x200, 400x400, 600x400
- Low-profile, fixed installation



Above-Fireplace TV Wall Mount

[461825]

- Holds One 40" to 70" Flat-Panel up to 35 kg (77 lbs.)
- Meets VESA standards: 200x200, 300x300, 400x200, 400x300, 400x400, 600x400
- Optimized views with +5° to -15° tilt, up to +/- 45° swivel and +/- 16° rotation
- Height adjustment to 27 in.



Universal Flat-Panel TV Full-Motion Wall Mount

[461283]

- Single Arm supports one 37" to 70" television up to 50 kg (110 lbs.).
- Meets VESA standards 200 x 200, 400 x 200, 300 x 300, 400 x 400, 600 x 400.
- Optimize views with full-motion -20 to +10° tilt and 180° swivel adjustments
- Extends TV up to 47.5 cm (18.7 in.) from wall



Universal Flat-Panel TV Tilting Wall Mount

[424752]

- Holds One 37" to 70" Television up to 75 kg (165 lbs.)
- Meets VESA standards: 200 x 200, 400 x 200, 300 x 300, 400 x 400, 600 x 400
- Optimize views with 0° to -10° tilt adjustment
- Extends 46 mm (1.8 in.)

Universal Basic LCD Full-Motion Wall Mount

[461337]

- Holds One 37" to 70" Flat-Panel or Curved TV up to 35 kg (77 lbs.);
- Meets VESA standards 200 x 200, 300 x 300, 400 x 200, 400 x 400, 600 x 400
- Optimize views with +10° to -15° tilt, ±90° swivel and ±3° level adjustment,
- Extends TV up to 24.7 cm (9.72 in.) from wall



Low-Profile TV Wall Mount

[461979]

- Supports One 37" to 70" Flat-Panel up to 35 kg (77 lbs.)
- Meets VESA standards: 200 x 200, 400 x 200, 300 x 300, 400 x 400, 600 x 400
- Optimize views with 0° to -10° tilt adjustment
- Extends 46 mm (1.8 in.)

Universal Flat-Panel TV Tilting Wall Mount

[423830]

- Supports One 37" to 85" TV up to 75 kg (165 lbs.).
- Meets VESA standards 200 x 200, 400 x 200, 300 x 300, 400 x 400, 600 x 400, 800 x 400
- Optimize views with ±10° tilt adjustment
- Extends 63 mm (2.5 in.)





TV MOUNTS



Universal Basic LCD Full-Motion Wall Mount


[461351]

- Holds One 37" to 70" Flat-Panel or Curved TV up to 40 kg (88 lbs.);
- Meets VESA standards 200x200, 300x300, 400x200, 400x400, 600x400
- Optimize views with -15° to 5° tilt, ±60° swivel and ±3° level adjustment,
- Extends TV up to 46.4 cm (18.26 in.) from wall

Universal Flat-Panel TV Tilting Wall Mount with Post-Leveling Adjustment

[461481]

- Supports One 37" to 80" Television up to 80 kg (176 lbs.)
- Meets VESA standards: 200 x 200, 400 x 200, 300 x 300, 400 x 400, 600 x 400
- Optimize views with -10° to +5° tilt adjustment
- Extension: 53 mm (2.08 in.)



Universal LCD Full-Motion Large-Screen Wall Mount

[461221]

- Holds One 60" to 100" Flat-Panel or Curved TV up to 80 kg (176 lbs.)
- Meets VESA standards: 200 x 200, 300 x 300, 400 x 200, 400 x 400, 600 x 400, 800 x 400 & 900 x 600
- Optimize views with -15° to 5° tilt, ±45° swivel, ±3° level adjustment
- Extends TV up to 62.5 cm (24.6 in.) from wall



Heavy-Duty Low-Profile Large-Screen TV Wall Mount

[461993]

- Holds one 60" to 100" TV up to 100 kg (220 lbs.).
- Meets VESA standards: 200x200, 300x300, 400x200, 400x400, 600x400, 800x400, 800x600, 900x600
- Fixed, ultra slim design, extends only 32 mm (1.3 in.) from wall.



Fast-Wireless - 10 W Charging Pad


Simple, Fast Phone Charging with the Manhattan Wireless Charging Pad

TV MOUNTS

Universal Portable TV Mount Tripod

[461412] Supports 37" to 70" TVs, up to 35 kg (77 lbs.); -8° – 0° Tilt, Black

- Meets VESA standards: 200 x 200, 400 x 200, 300 x 300, 400 x 400, 600 x 400
-



Universal Economy Multimedia TV Cart

[461238] Holds 37" to 70" TVs; +/- 10° tilt; removable camera and AV shelf

- Adjustable component shelf for more storage space
 - Heavy-duty casters with reinforced design to support equipment weight and allow for swift maneuverability
 - Meets VESA standards: 200 x 200, 300 x 300, 400 x 200, 400 x 400 & 600 x 400, 600 x 400
 - Rated loads: Screen-50kg/110lbs; Shelf-10kg/22lbs
-

Universal Multimedia TV Cart

[461245] Holds 37" to 70" TVs; -12 +/- 5° tilt; 90° TV rotation; removable camera and AV shelf; black and silver

- Adjustable component shelf for more storage space
 - Internal cable management for a clutter-free appearance
 - Heavy-duty casters with reinforced design to support equipment weight and allow for swift maneuverability
 - Meets VESA standards: 200 x 200, 300 x 300, 400 x 200, 400 x 400, 600 x 400
 - Rated loads: Screen-50kg/110lbs; Shelf-5kg/11lbs Each
-



Heavy-Duty Premium Multimedia TV Cart

[461672] Holds 60" to 100" TVs; -10 to 5° tilt, Height-Adjustable, Camera and AV Shelves, Silver and Black

- Multifunctional TV cart/trolley for one 60" to 100" TV up to 100 kg (220 lbs.)
 - Height-adjustable from 1200 to 1685 mm (47.2 to 66.3 in.)
 - Audio/video component shelf 335 x 430 mm (13.2 x 17 in.) space and a rated load of 5 kg (11 lbs.)
 - Top-mount camera shelf, ideal for video conferences
 - Meets VESA standards: 400x400, 600x400, 800x400, 800x600, 1000x600
-



Part #	# of Displays	Size	Weight Limit (per display)	Tilt	Swivel	Rotation	Single or Double Arm	Mount Style
432351*	1	13" to 22"	26 lbs / 12 kg	±90°	±90°	360°	Single	Wall
420808	2	13" to 24"	13 lbs / 6 kg	180°		180°	Double	Clamp
461542	1	13" to 32"	17 lbs / 8 kg	±45°		360°	Double	Clamp
461528	2	13" to 32"	17 lbs / 8 kg	±45°		±180°	Double	Clamp
461559	2	13" to 32"	17 lbs / 8 kg	±45°		±180°	Double	Stand
461566	4	13" to 32"	17 lbs / 8 kg	±45°		±180°	Double	Clamp
461658	3	13" to 27"	15.43 lbs / 7 kg	±45°		±180°	Triple	Clamp
461382	1	13" to 27"	44 lbs / 20 kg	+5° to -12°	±90°		Double	Wall
461399	1	13" to 42"	44 lbs / 20 kg	+5° to -12°	±90°		Single	Wall
461405	1	13" to 42"	44 lbs / 20 kg	+5° to -12°	±45°		Double	Wall
461603	1	17" to 32"	17 lbs / 8 kg	±35°	±90°	±180°	Single	Wall
461597	2	17" to 32"	17 lbs / 8 kg	±35°	±90°	±180°	Single	Clamp
461627	2	17" to 32"	17 lbs / 8 kg	±35°	±90°	±180°	Single	Wall

CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



MONITOR MOUNTS



Monitor Wall Mount

[432351]

- Supports Monitors 13" to 32" and 12 kg (26 lbs.)
- Meets VESA standards 75 x 75, 100 x 100
- Optimizes views with $\pm 90^\circ$ tilt, $\pm 90^\circ$ swivel and 360° rotation
- Arm length: 10 cm (4 in.)

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



Universal Monitor Mount with Double-Link Swing Arm

[461542]

- Holds One 13" to 32" LCD Monitor up to 8 kg (17 lbs)
- Meets VESA standards 75 x 75, 100 x 100
- Double-link swing arm with $\pm 45^\circ$ tilt and 360° rotation
- Installs on horizontal surfaces from 10 - 85 mm (3.3 in.) thick

Universal Flat-Panel Articulating Wall Mount

[461382]

- Double Arm Supports One 13" to 27" TV or Monitor up to 20 kg (44 lbs.)
- Meets VESA standards 75 x 75, 100 x 100
- Optimize views with $+5^\circ$ to -12° tilt, $\pm 90^\circ$ swivel and $\pm 3^\circ$ level adjustment
- Extends mount up to 35.4 cm (13.9 in.) from wall



Universal Monitor Mount with Double-Link Swing Arm

[461559]

- Holds One 13" to 32" LCD Monitor up to 8 kg (17 lbs.)
- Meets VESA standards 75 x 75, 100 x 100
- Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and variable height adjustments
- Arm width (extended): 798 mm (31.4 in.)

MONITOR MOUNTS



Universal Monitor Mount with Double-Link Swing Arm

[461528]

- Holds Two 13" to 32" LCD Monitors up to 8 kg (17 lbs)
- Meets VESA standards: 75 x 75, 100 x 100
- Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and variable height adjustments
- Installs on horizontal surfaces from 10 – 85 mm (0.4 – 3.3 in.) thick



Universal Four Monitor Mount with Double-Link Swing Arms

[461566]

- Holds Four 13" to 32" LCD Monitors up to 8 kg (17 lbs.),
- Meets VESA standards: 75 x 75, 100 x 100
- Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and height adjustments



Universal Flat-Panel Articulating Wall Mount

[461399]

- Single Arm Supports One 13" to 43" TV or Monitor up to 20 kg (44 lbs.)
- Meets VESA standards: 75 x 75, 100 x 100, 200 x 100 or 200 x 200
- Optimize views with $+5^\circ$ to -12° tilt, $\pm 90^\circ$ swivel and $\pm 3^\circ$ level adjustment
- Extends TV up to 19 cm (7.5 in.) from wall



LCD Monitor Mount with Double-Link Swing Arms

[420808]

- Securely holds two LCD monitors from 13" to 24" and up to 6 kg (13 lbs.) per display
- Meets VESA standards: 75 x 75, 100 x 100
- Optimize views with 36" double-link swing arms with separate 180° tilt and 180° rotation



Universal Flat-Panel Articulating Wall Mount

[461405]

- Securely holds one TV or monitor 13" to 43" TV up to 20 kg (44 lbs.)
- Meets VESA standards: 75x75, 100x100
- Optimize views with $+5^\circ$ to -12° tilt, $\pm 45^\circ$ swivel and $\pm 3^\circ$ level adjustment
- Extends TV up to 27.3 cm (10.75 in.) from wall



Universal Gas Spring Monitor Wall Mount

[461603]

- Single Gas-Spring Arm supports one 17" to 32" monitor up to 8 kg (17.64 lbs.)
- Meets VESA standards: 75 x 75, 100 x 100
- Optimize views with Tilt: $\pm 35^\circ$, Swivel: $\pm 90^\circ$, Rotate: $\pm 180^\circ$
- Extends monitor 71 mm (2.8 in.) to 304 mm (11.97 in.) from wall

MONITOR MOUNTS



Universal Gas Spring Dual Monitor Mount

[461597]

- Two Gas-Spring Jointed Arms Supports Two 17" to 32" TVs or Monitors up to 8 kg (17.64 lbs.)
- Meets VESA standards: 75 x 75 and 100 x 100
- Built-in tension adjustment, Tilt: $\pm 35^\circ$, Swivel: $\pm 90^\circ$, Rotate: $\pm 180^\circ$



Universal Gas Spring Dual Monitor Mount

[461627]

- Two Gas-Spring Jointed Arms Supports Two 17" to 32" flat & curved up to 8 kg (17.64 lbs.)
- Meets VESA standards: 75 x 75 and 100 x 100
- Extends monitor 71 mm (2.8 in.) to 464 mm (18.27 in.) from wall,
- Tilt: $\pm 35^\circ$, Swivel: $\pm 90^\circ$, Rotate: $\pm 180^\circ$



LCD Monitor Mount with Center Mount and Double-Link Swing Arms

[461658]

- Supports Three LCD Monitors 13"-27" up to 7 kg (15.43 lbs.)
- Meets VESA standards: 75 x 75 and 100 x 100
- Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and height adjustments.
- Installs on horizontal surfaces from 10 mm - 85 mm (0.40 in. - 3.34 in.) thick



PROJECTOR MOUNTS

Universal Projector Ceiling Mount

[424851] Securely holds most projectors up to 20 kg (44 lbs.); Optimize views with $\pm 20^\circ$ tilt and 360° swivel adjustments. Rod extends 57.5 to 82.5 cm (22.6 to 32.5 in.)



Universal Projector Ceiling Mount

[461184] Securely holds most projectors up to 13.5 kg (29.7 lbs.) Optimize views with $\pm 15^\circ$ tilt, $\pm 15^\circ$ swivel, 360° rotate

Universal Projector Wall or Ceiling Mount

[461207] Securely holds most projectors up to 20 kg (44 lbs.) Optimize views with $\pm 15^\circ$ tilt, $\pm 8^\circ$ swivel, Extension rod: adjusts 43 - 65 cm (16.9" to 25.6")

HDMI EXTENDERS & REPEATERS



1080p Compact HDMI over Ethernet Extender Kit

[\[207539\]](#) Extends Distances of 1080p@60Hz Signal up to 60 m (196 ft.) with a Single Cat6 Ethernet Cable, Transmitter and Receiver, Power over Cable, Ultra Slim Design.



1080p HDMI over Ethernet Extender Kit

[\[207584\]](#) Extends HDMI connection up to 50 m (164 ft.) between an HDMI source and an HD monitor or projector using one Ethernet cable. Supports 1080p resolution and 10.2 Gbps data throughput

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



4K HDMI over Ethernet Extender Kit

[\[207638\]](#) Extends Distances of 4K@30Hz up to 40 m (130 ft.) and 1080p up to 70 m (230 ft.) Using Single Ethernet Cable, Power over Cable, I R/ RS232 Support

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

HDMI SWITCHES



1080p 2-Port HDMI Switch

[207416] Automatic and Manual Switching, Black; 1080p resolution, 3D, Deep Color; Supports 3D video and 8-bit (24-bits total)



4K 2-Port HDMI Switch

[207867] 4K@60Hz, AC Powered, Remote Control, Black. Connects up to two Ultra-High-Definition (UHD) video sources to a single HDMI display. Supports automatic switching (when a UHD signal is detected) and manual switching (between sources with the push of a button).



4K Bi-Directional 2-Port HDMI Splitter/Switch

[207850] 4K@30Hz, Manual Selection, Passive (No Power Required), Black, Splits an Ultra-High-Definition (UHD) digital audio/video signal to one of two UHD HDMI displays or allows switching between two sources at one display



4K 3-Port HDMI Switch

[207874] 4K@60Hz, USB Powered, Integrated Cable, Black; Connects up to three Ultra-High-Definition (UHD) video sources to a single HDMI display



4K Compact 3-Port HDMI Switch

[207676] 4K@60Hz, AC Powered, Remote Control, Black Supports source switching via remote control or manual switching with the push of a button



8K@60Hz 2-Port HDMI Switch

[207942] Switches between two HDMI audio/video source signals on a single display. Supports 8K@60Hz, 4K@120Hz, 1440p@144Hz (WQHD) and 1080p@240Hz resolutions. Dynamic HDR for superior contrast and brilliant colors

HDMI SPLITTERS



1080p 2-Port HDMI Splitter

[207652] USB Powered, Black ; Cascadable up to three levels to expand signal distribution to more displays



4K 2-Port HDMI Splitter

[207669] 4K@30Hz, AC Powered, Black; AC powered, Plug and play; 4K@30Hz resolution, full 3D video and Deep Color



4K 2-Port HDMI Splitter

[207591] 4K@60Hz, AC Powered, HDCP 2.2, Black; Duplicates a high-definition digital audio/video signal for two HDMI outputs, AC power, Plug and play; 4K@60Hz resolution, full 3D video and Deep Color



4K 4-Port HDMI Splitter

[207515] 4K@30Hz, AC Powered, Black; Replicates an Ultra-High-Definition (UHD) digital audio/video signal for up to four UHD HDMI displays

HDMI CABLES

4K@60Hz UHD, HEC, ARC, 3D, 18 Gbps Bandwidth, Shielded Certified Premium High Speed HDMI Cable with Ethernet



Model #	Length	Package	Connection
354837	3 ft./1 m	Bag	Male/Male
355346	6 ft./1.8 m	Bag	Male/Male
355353	10 ft./3 m	Bag	Male/Male
355360	15 ft./5 m	Bag	Male/Male
355377	30 ft./9 m	Bag	Male/Male



HDMI ADAPTERS/CONVERTERS/DOCKS



Passive Mini DisplayPort to HDMI Adapter

[322461] Mini DisplayPort Male to HDMI Female, 1080p

*CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



USB-C to HDMI Converter

[151788] USB-C Male to HDMI Female

CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



USB-C HDMI Docking Converter

[152945] USB 3.2 Type-C Male to HDMI, USB-A and USB-C Females, Multiport Converter



HDMI to VGA Converter

[151467] HDMI Male to VGA Female, Optional USB Micro-B Power Port

*CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



Mini DisplayPort to Dual HDMI - MST Hub

[152723] Mini DisplayPort Male to Two HDMI Females; Mirror, Extended and Video-Wall Modes Supported; 4K@30Hz; USB powered



USB-C HDMI Docking Converter

[152037] USB 3.1 C Male to HDMI, USB A and USB C Females, Multiport Converter

HDMI ADAPTERS/CONVERTERS/DOCKS



VGA and USB to HDMI Converter

[\[152426\]](#) Converts Analog VGA Video and USB Audio to a Digital HDMI Signal

CALIFORNIA | **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



DisplayPort to Dual HDMI - MST Hub

[\[152716\]](#) DisplayPort Male to Two HDMI Females; Mirror, Extended and Video-Wall Modes Supported; 4K@30Hz; USB Powered



SuperSpeed USB-C to 7-in-1 Docking Station

[\[152408\]](#) USB 3.1 Type-C Male to HDMI, Mini DP or VGA, Three USB 3.0 Type-A Ports, USB-C PD Port, Gigabit RJ45 Port, SD Card Reader, and 3.5 mm Audio Port



USB-C 4-in-1 Audio/Video Converter

[\[152600\]](#) USB 3.1 Type-C Male to HDMI/DP/VGA/DVI Female



SuperSpeed USB-C Multiport Adapter

[\[152440\]](#) USB 3.2 Gen 1 Type-C Male to HDMI (4K@30Hz) Female, Three Top-Mounted SuperSpeed USB-A Ports, USB-C Power Delivery (PD 3.0) Port, Gigabit RJ45 Port and SD/MicroSD Card Reader



USB-C 11-in-1 Triple-Monitor Docking Station with MST

[\[153478\]](#) Multi-function docking station that connects a USB-C device to HDMI, DisplayPort and VGA displays simultaneously, two USB 3.2 Gen 1 Type-A ports, a USB 2.0 Type-A port, a 10/100/1000 Mbps Ethernet port, a 3.5 mm stereo port, a USB-C power port and an SD Card Reader

KVM SWITCHES



2-Port Mini KVM Switch

[151245] 2-Port USB, Audio Support

*CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



2-Port Compact KVM Switch

[151252] USB, with Cables and Audio Support

*CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



4-Port Compact KVM Switch

[151269] USB, with Cables and Audio Support

*CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



8-Port Compact KVM Switch

[152785] Eight HDMI and Eight USB-B Ports, Full HD, set of eight USB cables included

*CALIFORNIA | ⚠ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

See More Products

from **manhattan**[®]
Life just got easier.™

at **manhattanproducts.com**

- USB Cables
- USB Hubs
- USB Chargers
- SVGA Cables
- Video Cables
- Computer Keyboards/Speakers/Mice/Webcams/Headsets
- Laptop Bags & Chargers
- TV/Monitor Mounts & TV Carts



INDEX

Model #	Page #	Model #	Page #	Model #	Page #	Model #	Page #	Model #	Page #	Model #	Page #
101286	45	355377	54	506533	15	530378	12	561822	6	772426	34
151245	57	402439	21	506724	19	545006	18	561839	6	772433	34
151252	57	402446	21	507356	15	545013	19	561877	13	772440	34
151269	57	420808	47,49	507332	14	545068	14	561891	7	772457	34
151467	55	423625	40,43	507349	14	545075	14	561907	7	772464	34
151788	55	423670	40,41	507462	18	560269	20	561921	6	772471	34
152037	55	423755	40,41	507479	18	560283	20	561938	7	772488	34
152426	56	423830	40,44	507486	19	560443	5	561945	4	772495	34
152440	56	424752	40,44	507509	19	560559	8	711050	29	772501	34
152600	56	424851	51	508179	18	560566	4	711081	29	772518	34
152716	56	432351	40,47,48	508193	16	560641	7	711715	28	772525	34
152723	55	460934	40,43	508216	16	560764	6	711777	28	772532	34
152785	57	460941	40,42	508247	9	560917	13	711845	28	772549	34
152808	56	461184	51	508254	9	560962	5	711869	28	772556	34
152945	55	461207	51	508261	9	560993	7	712019	28	772563	34
153478	56	461214	40,43	508278	9	561044	13	712194	29	772570	34
162470	20	461221	40,45	508315	15	561068	13	712507	29	772587	34
207416	53	461238	40,46	508322	17	561082	6	712514	29	772594	34
207515	54	461245	40,46	508346	17	561167	8	712675	29	772600	34
207539	52	461283	40,44	508360	11	561198	8	712767	29	780070	22
207584	52	461290	40,43	508544	15	561204	6	712774	29	780094	23
207591	54	461320	40,42	508551	19	561211	5,9	713658	29	780124	22
207638	52	461337	40,44	508568	19	561228	6	713825	28	780131	23
207652	54	461344	40,42	508582	19	561235	4	713849	28	790055	36
207669	54	461351	40,45	508599	19	561242	7	713863	28	790352	22
207676	53	461382	47,48	508728	11	561259	7	713887	28	790369	36
207850	53	461399	47,49	508742	18	561266	5	714389	29	790383	36
207867	53	461405	47,49	508759	19	561273	13	714679	29	790512	36
207874	53	461412	40,46	508766	18	561334	13	714884	29	790536	36
207942	53	461450	40,43	508827	9	561341	8	714891	29	790604	36
210133	37	461474	40,43	508834	9	561365	4	715072	29	790611	36
210188	37	461481	40,45	508919	4,10	561389	4	715102	29	791083	36
210355	37	461528	47,49	508940	5,10	561402	7	715157	29	791090	36
210416	37	461542	47,48	508957	10	561419	7	715171	29	791120	36
210478	37	461559	47,48	508964	17	561426	8	715188	29		
210546	37	461566	47,49	508971	17	561488	4	715218	29	Cat5e UTP	
210577	37	461597	47,50	508988	17	561495	4	716062	29	Cables	30
210584	37	461603	47,49	508995	9	561518	4	716178	24		
210591	37	461627	47,50	509084	10,19	561587	8	716185	24	Cat6 UTP	
210607	37	461658	47,50	509091	11	561600	5	716192	24	Cables	31
210614	37	461672	40,46	509107	10,16	561617	5	716208	25		
210638	37	461825	40,44	510493	10,16	561624	9	716031	25	Cat6 UTP Slim	
210720	37	461979	40,44	510530	14	561648	5,35	716048	26	Network	
210737	37	461986	40,44	510547	14	561679	7	716055	26	Patch Cables...	32
210775	37	461993	40,45	513548	20	561686	6	716161	27		
210997	37	502344	36	513555	20	561693	5	720847	20	Cat6 A S/FTP	
211048	22	502399	36	513579	20	561723	12	720861	20	Patch Cables...	32
211055	22	504195	36	515566	23	561730	12	720922	20		
211062	23	504768	36	519526	20	561747	12	742115	26	Cat 8 S/FTP	
322461	55	504775	36	520959	20	561754	12	771351	36	Patch Cables...	33
351898	23	504935	36	522533	39	561761	7	771986	37		
351911	23	504898	36	523301	12	561778	2,4	771993	37	Fiber Optic	
354837	54	505130	36	523318	12	561785	2,4	772266	37	Cables	38,39
355346	54	505147	36	523882	18	561792	6	772273	37		
355353	54	506502	15	524179	4	561808	6	772297	37		
355360	54	506519	15	530347	12	561815	13	772419	34		

© 2023 IC Intracom. All rights reserved. Intellinet Network Solutions is a trademark of IC Intracom, registered in the U.S. and other countries. Other trademarks and trade names are the property of their respective owners.



Outdoor Gigabit High-Power PoE+ Extender Repeater

Extend the range of a PoE connection—even in harsh outdoor conditions.



IP65
Weather-Proof

25
Watts

Power Output

Outdoor Gigabit High-Power PoE+ Extender Repeater

- Daisy-chain up to four PoE extenders for a distance of up to 1640 ft.
- No power supply needed; Each unit draws 4 Watts of power directly from the Main PoE+ Switch or 30W Injector

Model 561211



PoE Switch*

EXTEND UP TO
1,640 FT.

300 ft.

Power and Data

*Not included



PoE Extender Repeater

300 ft.



PoE Extender Repeater

300 ft.



PoE Extender Repeater

300 ft.



PoE Extender Repeater

300 ft.



PoE Network Camera*

Register here to become a Dealer



**550 Commerce Blvd.
Oldsmar, FL 34677
813.855.0550**

intellinetsolutions.com